



<b>AACG</b>	Acute angle closure glaucoma
<b>ABMD</b>	Anterior basement membrane dystrophy
<b>AC</b>	Anterior chamber
<b>ACG</b>	Angle closure glaucoma
<b>ACIOL</b>	Anterior chamber intraocular lens
<b>ACT</b>	Alternate cover test
<b>AFGE</b>	Air fluid gas exchange
<b>AION</b>	Anterior ischemic optic neuropathy
<b>AL</b>	Axial length
<b>ALT</b>	Argon laser trabeculoplasty
<b>AMD</b>	Age-related macular degeneration
<b>anti-VEGF</b>	anti-vasoendothelial growth factor
<b>APD</b>	Afferent pupillary defect
<b>ARMD</b>	Age-related macular degeneration
<b>ARN</b>	Acute retinal necrosis
<b>ASC</b>	Anterior sub capsular cataract
<b>ASCC</b>	Anterior sub capsular cataract
<b>AT</b>	Artificial tears
<b>BCL</b>	Bandage contact lens
<b>BCVA</b>	Best corrected visual acuity
<b>BD</b>	Base down
<b>BDR</b>	Background diabetic retinopathy
<b>BI</b>	Base in
<b>BO</b>	Base out
<b>BRAO</b>	Branch retinal artery occlusion
<b>BRVO</b>	Branch retinal vein occlusion
<b>BSCL</b>	Bandage soft contact lens
<b>BU</b>	Base up
<b>C/D</b>	Cup-to-disc ratio
<b>C+S</b>	Culture and sensitivity
<b>C3F8</b>	Perfluoropropane gas
<b>CACG</b>	Chronic angle closure glaucoma
<b>Cat</b>	Cataract
<b>CB</b>	Ciliary body
<b>CBB</b>	Ciliary body band
<b>CC</b>	With correction
<b>CD</b>	Cup-to-disc ratio
<b>CE</b>	Cataract extraction
<b>CE/IOL</b>	Cataract extraction with implantation of intraocular lens
<b>CF</b>	Counting fingers
<b>CL</b>	Contact lens
<b>CLW</b>	Contact lens wear
<b>CME</b>	Cystoid macular edema
<b>CMV</b>	Cytomegalovirus
<b>CNVM</b>	Choroidal neovascular membrane
<b>CPC</b>	Cyclophotocoagulation
<b>CRAO</b>	Central retinal artery occlusion
<b>CRS</b>	Chorioretinal scar
<b>CRVO</b>	Central retinal vein occlusion

<b>CS</b>	Conjunctiva/sclera
<b>CSCR</b>	Central serous chorioretinopathy
<b>CSM</b>	Central, steady, maintained
<b>CSME</b>	Clinically significant macular edema
<b>CSR</b>	Central serous retinopathy
<b>CT</b>	Cover testing
<b>D</b>	Diopter
<b>D+Q</b>	Deep and quiet
<b>D+V</b>	Ductions and versions
<b>DALK</b>	Deep anterior lamellar keratoplasty
<b>DCR</b>	Dacryocystorhinostomy
<b>DD</b>	Disc diameters
<b>DED</b>	Dry eye disease
<b>DES</b>	Dry eye syndrome
<b>DFE</b>	Dilated fundus examination
<b>DLI</b>	Dysfunctional lens index
<b>DM</b>	Descemet's membrane
<b>DME</b>	Diabetic macular edema
<b>DMEK</b>	Descemet's membrane endothelial keratoplasty
<b>DSAEK</b>	Descemet's sparing automated endothelial keratoplasty
<b>DSEK</b>	Descemet's sparing endothelial keratoplasty
<b>DVD</b>	Dissociated vertical deviation
<b>E</b>	Esophoria
<b>E'</b>	Esophoria at near
<b>E'(T)</b>	Intermittent esotropia at near
<b>E(T)</b>	Intermittent esotropia at distance
<b>EBMD</b>	Epithelial basement membrane dystrophy
<b>EDTA</b>	
<b>EKC</b>	Epidemic keratoconjunctivitis
<b>EOM</b>	Extraocular muscle or extraocular motility
<b>ERM</b>	Epiretinal membrane
<b>ET</b>	Esotropia for distance
<b>ET'</b>	Esotropia for near
<b>EUA</b>	Examination under anesthesia
<b>F+F</b>	Fix and follow
<b>FA</b>	Fluorescein angiography
<b>FB</b>	Foreign body
<b>FTC</b>	Full to confrontation
<b>FTP</b>	Full time patching
<b>GAT</b>	Goldman application tonometry
<b>GP</b>	Gas permeable
<b>GPC</b>	Giant papillary conjunctivitis
<b>gtt(s)</b>	drop(s)
<b>GVF</b>	Goldman visual field
<b>HM</b>	Hand motion or hand movements
<b>HSV</b>	Herpes simplex virus
<b>HVF</b>	Humphrey visual field
<b>HZO</b>	Herpes zoster ophthalmicus
<b>HZV</b>	Herpes zoster virus
<b>IO</b>	Inferior oblique
<b>IOP</b>	Intraocular pressure
<b>IR</b>	Inferior rectus
<b>IRMA</b>	Intraretinal microvascular abnormality
<b>K</b>	Cornea
<b>KP</b>	Keratic precipitate

<b>LASIK</b>	Laser in situ keratomileusis
<b>LKP</b>	Lamellar keratoplasty
<b>LLL</b>	Lids/lashes/lacrimal system
<b>LP</b>	Light perception
<b>LPI</b>	Laser peripheral iridotomy
<b>LR</b>	Lateral rectus
<b>LTG</b>	Low-tension glaucoma
<b>M+M</b>	Mydriacyl and mydrin
<b>MA</b>	Microaneurysm
<b>MDF</b>	Map-dot-fingerprint corneal dystrophy
<b>MG</b>	Myasthenia gravis
<b>MH</b>	Macular hole
<b>MIGS</b>	Minimally Invasive Glaucoma Surgery
<b>MLT</b>	Micropulse Laser Trabeculoplasty
<b>MR</b>	Medial rectus
<b>MS</b>	Multiple sclerosis
<b>NI</b>	No improvement
<b>NLD</b>	Nasolacrimal duct
<b>NLDO</b>	Nasolacrimal duct obstruction
<b>NLP</b>	No light perception
<b>NPDR</b>	Non-proliferative diabetic retinopathy
<b>NS</b>	Nuclear sclerosis
<b>NTG</b>	Normal tension glaucoma
<b>NV</b>	Neovascularization
<b>NVA</b>	Neovascularization of the angle
<b>NVD</b>	Neovascularization of the disc
<b>NVE</b>	Neovascularization elsewhere
<b>NVG</b>	Neovascular glaucoma
<b>NVI</b>	Neovascularization of the iris
<b>OAG</b>	Open angle glaucoma
<b>OCT</b>	Optical coherence tomography
<b>OD</b>	Right eye
<b>OHT</b>	Ocular hypertension
<b>ON</b>	Optic nerve
<b>ONH</b>	Optic nerve head
<b>OS</b>	Left eye
<b>OU</b>	Both eyes
<b>PAS</b>	Peripheral anterior synechiae
<b>PC</b>	Posterior chamber
<b>PCIOL</b>	Posterior chamber intraocular lens
<b>PD</b>	Pupillary distance
<b>PD</b>	Prism diopter
<b>PDR</b>	Proliferative diabetic retinopathy
<b>PDS</b>	Pigment dispersion syndrome
<b>PDT</b>	Photodynamic therapy
<b>PED</b>	Pigment epithelial detachment
<b>PEE</b>	Punctate epithelial erosion
<b>PERRL</b>	Pupils equally round and reactive to light
<b>PERRLA</b>	Pupils equally round and reactive to light and accommodation
<b>PF</b>	Pred forte
<b>PF AT</b>	Preservative free artificial tears
<b>PH</b>	Pinhole
<b>Phaco</b>	Phacoemulsification
<b>PI</b>	Peripheral iridotomy/iridectomy
<b>PK</b>	Penetrating keratoplasty

<b>PMMA</b>	Polymethylmethacrylate
<b>POAG</b>	Primary open angle glaucoma
<b>POHS</b>	Presumed ocular histoplasmosis syndrome
<b>PPA</b>	Peripapillary atrophy
<b>PPV</b>	Pars plana vitrectomy
<b>PRK</b>	Photorefractive keratectomy
<b>PRP</b>	Pan retinal photocoagulation
<b>PS</b>	Posterior synechiae
<b>PSC</b>	Posterior sub capsular cataract
<b>PSCC</b>	Posterior sub capsular cataract
<b>PVD</b>	Posterior vitreous detachment
<b>PXF</b>	Pseudoexfoliation
<b>PXFG</b>	Pseudoexfoliative glaucoma
<b>RAPD</b>	Relative afferent pupillary defect
<b>RD</b>	Retinal detachment
<b>RK</b>	Radial keratotomy
<b>ROP</b>	Retinopathy of prematurity
<b>RP</b>	Retinitis pigmentosa
<b>RPE</b>	Retinal pigment epithelium
<b>RRD</b>	Rhegmatogenous retinal detachment
<b>RT</b>	Retinal tear
<b>SB</b>	Scleral buckle
<b>SC</b>	Without correction
<b>SF6</b>	Sulfur hexafluoride gas
<b>SiO</b>	silicone oil
<b>SLE</b>	Slit lamp examination
<b>SLT</b>	Selective laser trabeculoplasty
<b>SO</b>	Superior oblique
<b>SPK</b>	Superficial punctate keratitits
<b>SR</b>	Superior rectus
<b>SRF</b>	Subretinal fluid
<b>SS</b>	Scleral spur
<b>TBUT</b>	Tear breakup time
<b>TM</b>	Trabecular meshwork
<b>Trab</b>	Trabeculectomy
<b>TRD</b>	Tractional retinal detachment
<b>VA</b>	Visual acuity
<b>VF</b>	Visual field
<b>VH</b>	Vitreous hemorrhage
<b>Vit</b>	Vitreous
<b>W4D</b>	Worth 4 dot
<b>WNL</b>	Within normal limits
<b>X</b>	Exophoria at distance
<b>X'</b>	Exophoria at near
<b>X'(T)</b>	Intermittent exotropia at near
<b>X'T</b>	Exotropia at near
<b>X{T}</b>	Intermittent exotropia at distance
<b>XT</b>	Exotropia
<b>YAG</b>	Yttrium aluminum garnet laser
<b>YLI</b>	Yttrium aluminum garnet laser iridotomy

Prepared for EPSOM by Dr. Alanna Flynn 2018